450 40 000

Beam Power Tube

Novar Type

The 22JG6A is the same as the 6JG6A except for:

Heater	Characteristics	and Ratings
--------	-----------------	-------------

Current	0.450 ± 0.030	A
Voltage (ac or dc) at 0.450 A	22.0	V

Warm-up time (Average) 11 s

22JR6

Beam Power Tube

The 22JR6 is the same as the 6JR6 except for:

Heater Characteristics and Ratings

Current		- a s		4 4	e e	* #	o 0	9	8	0	*	e	9	0.450 ± 0.030	A
Voltage	(ac	or	dc)	at	0.4	50	A	8	*	٥	40	8	P	22.0	V

22106

Beam Power Tube

Novar Type

The 22JU6 is the same as the 6JU6 except for:

Heater Characteristics and Ratings

Current	0 9	8 0	8 0	8 4		8 6	e e	ě.	0	è	÷	8	0.450 ± 0.030	A
Voltage	(ac	or	dc)	at	0.450	A		8	6		4	6	22.0	V

22KM6

Beam Power Tube

The 22KM6 is the same as the 6KM6 except for:

Heater Characteristics and Ratings

Current .	. 4 4 4 2 9 1		0.450 ±0.030	A
Voltage (ac	or dc) at	0.450 A	22.0 N	V

Warm-up time (Average) 11 s