Beam Power Tube

Novar Type

The 22JG6A is the same as the 6JG6A except for:

Heater	Characte	ristics	and	Ratings
--------	----------	---------	-----	---------

C	urrent	0 5	0 0	8 0	8 8	2 0	*	d 6	8 8	0	9	8	0	ø	0.450 ± 0.030	A
\mathbb{V}	oltage	(ac	or	de)	at	0.4	4 5() A		*	\$	4	-8	ø	22.0	V
W	arm-up	tim	e (.	Ave	rag	(e)	4	4 0	e 0	0	0	8	8		1.1	S

22JR6

Beam Power Tube Novar Type

The 22JR6 is the same as the 6JR6 except for:

Heater Characteristics and Ratings

Current	0.450 ± 0.030	A
Voltage (ac or dc) at 0.450 A	22.0	V
Warm-up time (Average)	11	s

22106

Beam Power Tube

Novar Type

The 22JU6 is the same as the 6JU6 except for:

Meater Characteristics and Ratinas

Current	• 4	A 0	8 0	0 0	*	\$ 8	8	8	89	e	69	8	n	æ	8	0.450 ± 0.030	A
Voltage	(ac	or	de)	at	0.	45	0	A	L.	80	g.	6	a	*	86	22.0	V
Warm-ur	tim	e (Ave	era	ge) ,	:0	ø	8	ø	ę	9	0	0	÷	decorpy decorpy	S

22KM6

Beam Power Tube Novar Type

The 22KM6 is the same as the 6KM6 except for:

Heater Characteristics and Ratings

Current	49	8	0 4		æ	p 4	89	ė	8	6	#	*	œ.	8		0	÷	4	0.450 ± 0.030	A
Voltage	(a	С	or	d	e)	at	0	. 4	15	0	A		¢.	8	a	4	ß	9	22.0	\mathbb{V}
Warm-up	of good	m	e (A	ve	rai	ge)		4	0	0	ti-	æ	6	8	8		11	S