Beam Power Tube

Novar Type

The 22JG6A is the same as the 6JG6A except for:

Heater	Chara	cteristic	s and	Ratings
--------	-------	-----------	-------	---------

Current	0 5	0 6		8 8	a a a a	0	0 8	0	- GS	*	@	a	0.450 ± 0.030	A
Voltage	(ac	or	de)	at	0.450	A		٥	\$	÷	-88	¢	22.0	\mathbb{V}

Beam Power Tube

The 22JR6 is the same as the 6JR6 except for:

Heater Characteristics and Ratings

Current	\$ A	1 10 4	3 10 10	φ ±	» e	9 4	e	(0	9	8	e	ge.	ŧ	-	0.450 ± 0.030	A
Voltage	(ac	or	dc)	at	0.	450	A	Å	\$	8	٠	æ	*	e	22.0	V
222	4 *	į.	. A		. 4										4 4	

Beam Power Tube

Novar Type

The 22JU6 is the same as the 6JU6 except for:

Heater Characteristics and Ratings

Current	0.450 ± 0.030	A
Voltage (ac or dc) at 0.450 A	22.0	V
Warm-up time (Average)	11	s

22KM6

Beam Power Tube Novar Type

The 22KM6 is the same as the 6KM6 except for:

Heater Characteristics and Ratings

Current	9 4		8 a	9 9	0 0 8 0	e 0	. 8	10	ŧ	ě	a	4	0.450 ±0.030	A
Voltage	(ac	or	de)	at	0.450	A	4	4	6	0	6	ø	22.0	V
WWV					2.								48 48	

Warm-up time (Average) 11 s