



1610

1610

CRYSTAL-OSCILLATOR PENTODE

Filament	Coated	
Voltage	2.5	a-c or d-c volts
Current	1.75	amp
Transconductance		
for plate current of 31 ma.	2500	μ mhos
Direct Interelectrode Capacitances:		
Grid to Plate	1.2	μ f
Input	8.6	μ f
Output	13	μ f
Maximum Overall Length		5-3/8"
Maximum Diameter		2-1/16"
Bulb		ST-16
Base		Medium 5-Pin

MAXIMUM RATINGS and TYPICAL OPERATING CONDITIONS**R-F POWER AMPLIFIER & OSCILLATOR - Class C Telegraphy***Key-down conditions per tube without modulation**

D-C Plate Voltage	400 max.	volts
D-C Screen Voltage (Grid #2)	200 max.	volts
D-C Grid Voltage (Grid #1)	-100 max.	volts
D-C Plate Current	30 max.	ma.
D-C Grid Current	3 max.	ma.
Plate Input	9 max.	watts
Screen Input	2 max.	watts
Plate Dissipation	6 max.	watts

Typical Operation:

Filament Voltage	2.5	2.5	a-c volts
D-C Plate Voltage	300	400	volts
D-C Screen Voltage	125	150	volts
D-C Grid Voltage	-60 [▲]	-50 [▲]	volts
Peak R-F Grid Voltage	110	75	volts
D-C Plate Current	30	22.5	ma.
D-C Screen Current	13	7	ma.
D-C Grid Current	2.5	1.5	<u>approx.ma.</u>
Driving Power	0.25	0.1	<u>approx.watt</u>
Power Output	5	5	<u>approx.watts</u>

* Modulation essentially negative may be used if the positive peak of the audio-frequency envelope does not exceed 115% of the carrier conditions.

▲ Bias may also be obtained with 30000-ohm grid resistor.

For use of the 1610 at the higher frequencies, refer to sheet
TRANS. TUBE RATINGS vs FREQUENCY.


1610



1610

CRYSTAL-OSCILLATOR PENTODE


(continued from preceding page)



BOTTOM VIEW OF BASE

92C-4770

TUBE SYMBOL & TOP VIEW
OF
SOCKET CONNECTIONS



JUNE 21, 1937

RCA RADIONRON DIVISION
RCA MANUFACTURING COMPANY, INC.


TENTATIVE DATA



1610

1610

AVERAGE PLATE CHARACTERISTICS



JUNE 8, 1937

RCA RADIONRON DIVISION
RCA MANUFACTURING COMPANY, INC.

92C-4773


1610



1610


CRYSTAL-OSCILLATOR PENTODE

AVERAGE CHARACTERISTICS



92C-4775

AVERAGE CHARACTERISTICS



92C-4774

JUNE 21, 1937

RCA RADITRON DIVISION
 RCA MANUFACTURING COMPANY, INC.

92C-4774 & 4775