

VALVE ELECTRONIC **CV2008**


GENERAL POST OFFICE: E-IN-C (S)

Specification: GPO/CV 2008/Issue 2 Dated: February, 1953. To be read in conjunction with K 1001	<u>SECURITY</u>	
	<u>Specification</u> Unclassified	<u>Valve</u> Unclassified

—————> indicates a change

<p><u>TYPE OF VALVE:</u> Low Noise RF Triode Amplifier</p> <p><u>CATHODE:</u> Indirectly heated</p> <p><u>ENVELOPE:</u> Glass, unmetallised</p> <p><u>PROTOTYPE</u> CV 408</p>	<p style="text-align: center;"><u>MARKING</u></p> <p style="text-align: center;">See K 1001/4</p> <p style="text-align: center;"><u>PACKING</u></p> <p style="text-align: center;">See K 1005</p>
<p style="text-align: center;"><u>BASE</u></p> <p style="text-align: center;">B7G/B</p>	
<p>This valve is a CV 408 with tags welded to the pins and fitted with PTFE, disc, in accordance with P.O. drawing CD 712 intended for mounting in a B7G Solder-in Valveholder</p> <p>(See outline Drawing on page 2)</p>	

OUTLINE DRAWING



CV 2008/2/2